

TYPE APPROVAL CERTIFICATE

Certificate no.:
TAE00003HR
Revision No:
2

This is to certify:
that the Electric Motor

with type designation(s)
T1C..., T2C..., T3C..., T4C..., frame sizes 80 up to 355, TCI..., TCP..., frame sizes 80 up to 355

issued to
Shanghai Top Motor Co., Ltd.
Shanghai, 020, China

is found to comply with
DNV rules for classification – Ships, offshore units, and high speed and light craft

Application:

Products approved by this certificate are accepted for installation on all vessels classed by DNV.

Type	Degree of protection	Insulation class	Temp. class (°C)	Voltage (V)	Power (kW)	Frequency (Hz)	Speed (RPM)
T1C..., T2C..., T3C..., T4C..., frame sizes 80 up to 355	IP 55, IP 56, IP 65	F	155	220 - 690	0,75 - 630	50 / 60	750 - 3600
TCI..., TCP..., frame sizes 80 up to 355	IP 55, IP 56, IP 65	F	155	220 - 690	0,75 - 630	50 / 60	750 - 3600

Issued at **Høvik** on **2024-05-23**

for **DNV**

This Certificate is valid until **2029-04-30**.

DNV local unit: **Shanghai**

Approval Engineer: **Georgy Abramenko**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Place of manufacturing:

SHANGHAI HIMAK ELECTRICAL MA.. CO., LTD.
No. 568 YUANXI Rd, NANHUI Industry Area
Pudong, Shanghai, P. R. China

Product description

Induction Motors, Cast iron frame

Type

T1C., T2C., T3C., T4C.,.. frame sizes 80 up to 355

TCI., TCP., frame sizes 80 up to 355

Sizes: 1, 2, 3, S, S1, S2, M, M1, M2, L, L1, L2

Rated voltage: 220 V up to 690 V

Rated power, Duty Type: S1 0,75 kW up to 630 kW

Synchronous speed: 750 1/min up to 3600 1/min

Rated frequency: 50 Hz, 60 Hz

Ambient temperature: 45 °C

Thermal class: 155 (F)

Degree of protection: IP 55, IP 56, IP 65

No. Of poles: 2, 4, 6 and 8

Spec. Model: For marine applications / environments

Application/Limitation

This certificate is issued on the basis of GL Guidelines for the Performance of Type Approvals, Chapter 1 - Procedure (VI-7-1), Edition 2007

Type Approval documentation

Drawing: 8MHY.010.T035; 8MHY.010.T036 dated 2014-03-12

Technical data: TECHTOP, T.C-serie page 44 - 46

Test report: T3C 315L2-6, Report No. 20140312001 dated 2014.03.11

Catalogue: SHANGHAI TOP MOTOR CO., LTD, TECHTOP Motor 2013

Tests carried out

IEC 60034-1 / 2010-02

GL Guidelines for the Performance of Type Approvals, VI-7-6 part 4, ed. 1999

Marking of product

For traceability of the product to this Type Approval Certificate the products are as a minimum to be marked as follows:

1. a) Serial number, b) Manufacturer's name, c) Model and d) Type Designation
2. a) Power, b) Voltage, c) Current, d) Frequency, e) Speed, f) Power factor
3. Duty type (if other then S1/Continuous)
4. a) Winding insulation class and b) Winding connection
5. Degree of protection
6. a) Maximum permissible cooling medium temperature, b) Ambient temperature
7. Performance standard
8. Total mass

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the Type approval are complied with and that no alterations are made to the product design or choice of materials.

The main elements of the assessment are:

- Inspection of factory samples, selected at random from production line (where practicable)
- Results from Routine Tests (RT) checked (if not available tests according to RT to be carried out)
- Review of Type Approval documentation
- Review of possible change in design, materials and performance
- Ensuring traceability of the manufacturer's product type marking and Type Approval Certificate.

Periodical assessment is to be performed after 2 years and after 3.5 years.

A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE